

Safety data sheet

Page: 1/6

BASF Safety data sheet according to 91/155/EEC

Date / Revised: 2008/01/02

Product: **COLOR COAT TB CLEAR**

Version: 1.0

(30367604/MDS_GEN_US/EN)

Date of print 15.09.2010

1. SUBSTANCE/PREPARATION AND COMPANY IDENTIFICATION

COLOR COAT TB CLEAR

Use: Product for construction chemicals

Company:

BASF CORPORATION

100 Campus Drive

Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Telefax number: +1 973 245-6839

E-mail address: msds@basf.com

Emergency information:

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP

2. HAZARDOUS INGREDIENTS

<u>Chemical</u>	<u>CAS No.</u>	<u>TLV</u>	<u>STEL</u>	<u>PEL</u>	<u>CEIL</u>	<u>Weight %</u>
SILICA, CRYSTALLINE QUARTZ	14808-60-7	0.05 mg/m ³	N.E.	0.1 mg/m ³	N.E.	5.00 - 10.00 %
ETHYLENE GLYCOL	107-21-1	N.E.	N.E.	N.E.	100 mg/m ³	3.00 - 7.00 %

3. HAZARDS IDENTIFICATION

HMIS® Rating

HEALTH
1FLAMMABILITY
1PHYSICAL
HAZARD
0

WHMIS Class

: D2B

BASF Safety data sheet according to 91/155/EEC
 Date / Revised: 2008/01/02
 Product: **COLOR COAT TB CLEAR**

Version: 1.0

(30367604/MDS_GEN_US/EN)

Date of print 15.09.2010

Effects of Overexposure

- Inhalation : Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Inhalation of high vapor concentrations can cause CNS-depression and narcosis. Prolonged inhalation can be harmful.
- Skin : Prolonged skin contact may defat the skin and produce dermatitis. Prolonged or repeated exposure can cause skin irritation and redness.
- Eyes : Can cause slight irritation.
- Ingestion : Can cause slight irritation. Intake can cause gastrointestinal irritation, nausea, vomiting, diarrhea, headache, and drowsiness.
- Chronic exposure : Prolonged or repeated exposure may cause injuries to the kidney. This product contains Crystalline (quartz) Silica which has been listed as a human carcinogen by NTP (Group 1) and IARC (Human Carcinogen) and a Suspected Human Carcinogen by ACGIH (category A2). Repeated or prolonged over exposure to free respirable Crystalline (quartz) silica can cause silicosis or other delayed and serious lung injury. No exposure to respirable Crystalline (quartz) Silica anticipated with recommended use of product.

Carcinogenicity

	ACGIH	IARC	NTP	OSHA
SILICA, CRYSTALLINE QUARTZ	Suspected human carcinogen.	Human carcinogen.		N.E.
ETHYLENE GLYCOL	Not classifiable as a human carcinogen.	N.E.	N.E.	N.E.

4. FIRST AID MEASURES

- Eye contact : Flush eyes with water, lifting upper and lower lids occasionally for 15 minutes. Seek medical attention.
- Skin contact : Remove contaminated clothing. Wash thoroughly with soap and water. If irritation persists seek medical attention. Wash contaminated clothing before reuse.
- Ingestion : Do not induce vomiting without medical advice. If conscious, drink plenty of water. If a person feels unwell or symptoms of skin irritation appear, consult a physician. If a person vomits, place him/her in the recovery position. Never give anything by mouth to an unconscious person.
- Inhalation : Remove victim from exposure. If difficulty with breathing, administer oxygen. If breathing has stopped administer artificial respiration, preferably mouth-to-mouth. Seek immediate medical attention.

5. FIRE-FIGHTING MEASURES

- Flash point : > 200.01 °F (93.34 °C)
- Autoignition temperature : no data available
- Lower explosion limit : no data available
- Upper explosion limit : no data available

BASF Safety data sheet according to 91/155/EEC
Date / Revised: 2008/01/02
Product: **COLOR COAT TB CLEAR**

Version: 1.0

(30367604/MDS_GEN_US/EN)

Date of print 15.09.2010

- Suitable extinguishing media : water fog
foam
carbon dioxide (CO₂)
dry chemical
water spray
- Fire and Explosion Hazards : Containers can build up pressure if exposed to heat (fire). Cool closed containers exposed to fire with water spray.
- Special Fire-fighting Procedures : As in any fire, wear pressure demand self-contained breathing apparatus (NIOSH approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

- Methods for cleaning up : Wear appropriate protective equipment (refer to section 8). Take action to eliminate source of leak; prevent from entry into open streams or sewers; contain spill by diking; vacuum up liquid or use absorbent media; remove to storage for disposal and rinse residual stain with water.

7. HANDLING AND STORAGE

- Handling : Keep out of reach of children. Use only in area provided with appropriate ventilation. For personal protection see section 8.
- Storage : Keep tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Eye protection : Wear as appropriate:
safety glasses with side-shields
goggles
face-shield
- Hand protection : Wear as appropriate:
impervious gloves
- Body Protection : Wear as appropriate:
impervious clothing
preventive skin protection
- Respiratory protection : In case of insufficient ventilation wear suitable respiratory equipment. When workers are facing concentrations above the exposure limit they must use NIOSH approved respirators.
- Hygienic Practices : Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke. Handle in accordance with good industrial hygiene and safety practice.
- Engineering Controls : Local exhaust ventilation can be necessary to control any air contaminants to within their TLVs during the use of this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

BASF Safety data sheet according to 91/155/EEC
 Date / Revised: 2008/01/02
 Product: **COLOR COAT TB CLEAR**

Version: 1.0

(30367604/MDS_GEN_US/EN)

Date of print 15.09.2010

Color : opaque
 Physical State : liquid
 Odor : ammoniacal
 pH (at 100 %) : no data available
 Odor Threshold : no data available
 Vapor Pressure : no data available
 Vapor Density : no data available
 Boiling point/range : >212 °F (100 °C)
 Freeze Point : no data available
 Water solubility : partly soluble
 Specific Gravity : no data available
 Viscosity : no data available
 Evaporation rate : no data available
 Partition coefficient (n-octanol/water) : no data available
 VOC Concentration as applied : 40 - 72 g/l
 (less water and exempt solvents)

10. STABILITY AND REACTIVITY

Stability : Stable under recommended storage conditions.
 Conditions to avoid : Prolonged exposure to high temperatures
 Hazardous polymerization : Will not occur under normal conditions.

11. TOXICOLOGICAL INFORMATION

Acute inhalation toxicity

<u>Product</u>	<u>Type</u>	<u>Value</u>	<u>Species</u>	<u>Exposure time</u>
	LC50	no data available		
<u>Component</u>				
SILICA, CRYSTALLINE QUARTZ	LC50	no data available		
ETHYLENE GLYCOL	LC50	no data available		

BASF Safety data sheet according to 91/155/EEC
 Date / Revised: 2008/01/02
 Product: **COLOR COAT TB CLEAR**

Version: 1.0

(30367604/MDS_GEN_US/EN)

Date of print 15.09.2010

Acute oral toxicity

<u>Product</u>	<u>Type</u>	<u>Value</u>	<u>Species</u>
	LD50 (Oral)	no data available	
<u>Component</u>			
SILICA, CRYSTALLINE QUARTZ	LD50 (Oral)	1,300 mg/kg	
ETHYLENE GLYCOL	LD50 (Oral)	4,700 mg/kg	rat

Acute dermal toxicity

<u>Product</u>	<u>Type</u>	<u>Value</u>	<u>Species</u>
	LD50 (Dermal)	no data available	
<u>Component</u>			
SILICA, CRYSTALLINE QUARTZ	LD50 (Dermal)	no data available	
ETHYLENE GLYCOL	LD50 (Dermal)	no data available	

12. ECOLOGICAL INFORMATION

Ecotoxicological Information : There is no data available for this product.

13. DISPOSAL CONSIDERATIONS

Recommendations: Use excess product in an alternate beneficial application. Handle disposal of waste material in manner which complies with local, state, province and federal regulation.

14. TRANSPORT INFORMATION

DOT : Proper shipping name Not regulated
 IATA : Proper shipping name Not regulated

15. REGULATORY INFORMATION**SARA 311/312 (RTK)**

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendments and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

IMMEDIATE (ACUTE) HEALTH HAZARD

SARA 313

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

BASF Safety data sheet according to 91/155/EEC
 Date / Revised: 2008/01/02
 Product: **COLOR COAT TB CLEAR**

Version: 1.0

(30367604/MDS_GEN_US/EN)

Date of print 15.09.2010

<u>Weight %</u>	<u>CAS No.</u>	<u>Chemical Name</u>
3.00 - 7.00 %	107-21-1	ETHYLENE GLYCOL

CERCLA

CERCLA section 103(a) specifically requires the person in charge of a vessel or facility to report immediately to the National Response Center (NRC) a release of a hazardous substance whose amount equals or exceeds the assigned RQ. The following hazardous substances are contained in this product.

<u>RQ</u>	<u>CAS No.</u>	<u>Chemical Name</u>
5,000 lbs	107-21-1	ETHYLENE GLYCOL

TSCA Section 12(b) Export Notification

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(b) if exported from the United States:

<u>CAS No.</u>	<u>Chemical Name</u>
----------------	----------------------

There are no TSCA 12(b) Chemicals in this product.

California Proposition 65

The chemical(s) noted below and contained in this product, are known to the state of California to cause cancer, birth defects or other reproductive harm. Unless otherwise specified in Section 2 of this MSDS, these chemicals are present at < 0.1%:

<u>CAS No.</u>	<u>Chemical Name</u>
14808-60-7	SILICA, CRYSTALLINE QUARTZ
7440-02-0	NICKEL
7440-38-2	ARSENIC
7440-43-9	CADMIUM
123-91-1	DIOXANE
75-07-0	ACETALDEHYDE
75-21-8	ETHYLENE OXIDE
7439-92-1	INORGANIC LEAD

16. OTHER INFORMATION

Legend : N.E. - Not Established
 TLV - Threshold Limit Value
 STEL - Short Term Exposure Limit
 PEL - Permissible Exposure Limit
 CEIL - Ceiling

Prepared By : Environment, Health and Safety Department

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.